

AGT equipment program

for mastic asphalt and joint compound



asphalt-float
made of hard wood, **two pieces**

complete
dimensions:
400 x 120 x 45 mm

item no.: 07.105.0001

440 x 100 x 45 mm

item no.: 07.105.0002



asphalt-float
made of hard wood, **one piece**

dimensions:
320 x 110 x 45 mm

item no.: 07.105.0003

330 x 100 x 55 mm
370 x 100 x 45 mm

item no.: 07.105.0004
item no.: 07.105.0005



asphalt-skin wood

dimensions:
350 x 140 x 35 mm

item no.: 07.105.0007

250 x 100 x 25 mm

item no.: 07.105.0008



asphalt skimmer with handle

made of hard wood
dimensions:
350 x 350 x 50 mm

item no.: 07.105.0019

350 x 250 x 50 mm

item no.: 07.105.0020

wooden plate without handle

350 x 350 x 50 mm
355 x 250 x 50 mm

item no.: 07.105.0015
item no.: 07.105.0016



handle for asphalt skimmer

steel pipe to assemble
dimensions:
Länge 2.000 mm

item no.: 07.105.0017

3 pieces as set
Länge 6.000 mm

item no.: 07.105.0018

AGT GmbH, Altenwerder Gussasphalt Technology

Hittfelder Kirchweg 21, 21220 Seevetal, Tel: +49 – (0) 4105 – 69289 – 0 / Fax: +49 – (0)4105 – 69289 – 28
e-mail: info@agt-gmbh.com / homepage: www.agt-gmbh.com

AGT equipment program

for mastic asphalt and joint compound



wooden asphalt spade

for pressing down the heated bituminous felt
dimensions: 1350 x 150 x 25 mm

item no.: 07.105.0012

dimensions: 1150 x 100 x 15 mm

item no.: 07.105.0012 01



wooden chipping pusher

complete with handle
dimensions:
plate 620 x 130 x 22 mm
handle 2.000 mm
diameter appr. 30 mm

item no.: 07.105.0013

chip broom

without photo

item no.: 07.105.0014



carrying beam

for wooden buckets, complete with chains

item no.: 07.105.0011

AGT GmbH, Altenwerder Gussasphalt Technology

Hittfelder Kirchweg 21, 21220 Seevetal, Tel: +49 – (0) 4105 – 69289 – 0 / Fax: +49 – (0)4105 – 69289 – 28
e-mail: info@agt-gmbh.com / homepage: www.agt-gmbh.com

AGT equipment program

for mastic asphalt and joint compound



wooden bucket for mastic asphalt
strengthened type, with double bottom and extra steelband
thickness ca. 330 mm
height: ca. 300 mm

item no.: 07.105.0010

wooden bucket for mastic asphalt
standard type
diameter: ca. 330 mm
height: ca. 300 mm

item no.: 07.105.0010 01



steel bucket for mastic asphalt

item no.: 07.105.0009

14 litres



leveling machine
for flooring material gritted with quarz sand
diameter of wooden disk: appr. 500 x 50 mm
aluminium handle, 2 x 2,5 m and 1 x 1m, 220 V

item no.: 07.106.0001



wooden disk for leveling machine
special hard wood
diameter: 500 mm
thickness: 50 mm

item no.: 07.106.0004

AGT GmbH, Altenwerder Gussasphalt Technology

Hittfelder Kirchweg 21, 21220 Seevetal, Tel: +49 – (0) 4105 – 69289 – 0 / Fax: +49 – (0)4105 – 69289 – 28
e-mail: info@agt-gmbh.com / homepage: www.agt-gmbh.com

AGT equipment program

for mastic asphalt and joint compound



can for joint compound

item no.: 07.111.0001

with round handle and sharp lip pouring
7 litres



can for joint compound

item no.: 07.111.0006

with round handle and sharp lip pouring
4 litres



can for joint compound

item no.: 07.111.0002

with side handle
7 litres



can for joint compound

item no.: 07.111.0007

with loose handle and lip pouring, half round,
4 litres



bucket for joint compound

item no.: 07.111.0003

with loose handle and cover
15 litres



wheelbarrow for joint compound

item no.: 07.111.0008

for train rail sealing compound, fine composition
outlet; with special ball valve; exceptional tip
stability at slopes; 4 pneumatic tires; central crane
hook, capacity: 100 litres

AGT GmbH, Altenwerder Gussasphalt Technology

Hittfelder Kirchweg 21, 21220 Seevetal, Tel: +49 – (0) 4105 – 69289 – 0 / Fax: +49 – (0)4105 – 69289 – 28
e-mail: info@agt-gmbh.com / homepage: www.agt-gmbh.com

AGT equipment program

for mastic asphalt and joint compound



bitumen cooker BK 15 without stirring device,
with compound bucket set (propane gas hose 5 m,
hose break safety device, gas regulator and piezo
ignition)

item no.: 07.129.0002



joint material mixer VK 15 with manual stirring
device, compound bucket set (propane gas hose,
hose break safety device, gas regulator and piezo
ignition), fitted on frame with 2 rubber wheels;
capacity appr. 15 litres without gas bottle

item no.: 07.124.0000



joint material mixer VK 30 with manual stirring
device, compound bucket set (propane gas hose,
hose break safety device system, gas regulator
and piezo ignition) capacity appr. 30 litres

item no.: 07.125.0001



joint compound working cone

item no.: 07.111.0005

with manual adjustable sealing cone

similar results as machine laid

AGT GmbH, Altenwerder Gussasphalt Technology

Hittfelder Kirchweg 21, 21220 Seevetal, Tel: +49 – (0) 4105 – 69289 – 0 / Fax: +49 – (0)4105 – 69289 – 28
e-mail: info@agt-gmbh.com / homepage: www.agt-gmbh.com

AGT equipment program

for mastic asphalt and joint compound



joint spraying lance
3/4", with one straight and one bent cone
without spraying hose

item no.: 07.121.0001



pulling bucket
with hinged handle, dimensions: 200 x 300 mm,
approx. 1.000 mm long handle
other dimensions available upon request

item no.: 07.113.0001

pulling bucket
as item-no.: 07.113.0001
additionally with adjustable back outlet opening

item no.: 07.113.0002



pulling shoe
for wild cracks, to be fitted on a spraying lance

item no.: 07.113.0003

AGT GmbH, Altenwerder Gussasphalt Technology

Hittfelder Kirchweg 21, 21220 Seevetal, Tel: +49 – (0) 4105 – 69289 – 0 / Fax: +49 – (0)4105 – 69289 – 28
e-mail: info@agt-gmbh.com / homepage: www.agt-gmbh.com

AGT equipment program

for mastic asphalt and joint compound



steel roller for asymmetric drainages
weight: 60 kg
with asymmetric center of gravity of the specially
constructed roller

item no.: 07.107.0001



sting roller
weight: 65 kg
with handle 2,5 m long

item no.: 07.107.0002



flat roller
weight: 37 kg
with handle 2,5 m long

item no.: 07.107.0003

AGT GmbH, Altenwerder Gussasphalt Technology

Hittfelder Kirchweg 21, 21220 Seevetal, Tel: +49 – (0) 4105 – 69289 – 0 / Fax: +49 – (0)4105 – 69289 – 28
e-mail: info@agt-gmbh.com / homepage: www.agt-gmbh.com

AGT equipment program

for mastic asphalt and joint compound



gas infrared joint heater

also for joints in between door frames, adjustable in height, fitted on frame with 4 rubber wheels, 5 m propane gas hose with hose break safety device and gas regulator
heating surface: appr. 150 x 750 mm

item no.: 07.108.0011



gas infrared joint heater

for fitting to a mastic asphalt finisher with holder and gas fittings, incl. gas hose 5000 mm
heating surface: 750 x 150 mm

item no.: 07.108.0004 01



gas infrared heater

for re-melting mastic asphalt and sealing material of joints; fitted on frame with height adjustable rubber wheels, which can be turned around 90°
heating surface: 300 x 750 mm

item no.: 07.108.0003

other dimensions available upon request



gas infrared heater (self regulating)

for re-melting mastic asphalt and sealing material of joints, self regulating with digital computer, with automatic temperature control and automatic switch on / switch off device based on infrared surface thermo sensor; fitted on frame with height adjustable rubber wheels, which can be turned around 90°
heating surface: 300 mm x 750 mm

item no.: 07.108.0007

other dimensions available upon request



turbo hand burner for drying and blowing out joints for propane gas and compressed air with additional joint cleaning pipe; indirect flame to avoid burning of bitumen surface, with chassis

item no.: 07.109.0002



industrial burner

for drying and stone heating with flame failure control device

item no.: 07.109.0003

without photo

for industrial burner 07.109.0003
regulator, hose break safety device and gas hose length 10 m

item no.: 07.109.0003 01

AGT GmbH, Altenwerder Gussasphalt Technology

Hittfelder Kirchweg 21, 21220 Seevetal, Tel: +49 – (0) 4105 – 69289 – 0 / Fax: +49 – (0)4105 – 69289 – 28
e-mail: info@agt-gmbh.com / homepage: www.agt-gmbh.com

AGT equipment program

for mastic asphalt and joint compound



asphalt wheelbarrow for 4 buckets
(without buckets)

item no.: 07.110.0001 01 01



asphalt wheelbarrow
standard version, capacity appr. 70 litres,
4 wheels, 2 x pneumatic- and 2 synthetic wheels
forward

item no.: 07.110.0002

without photo: as item no.: 07.110.0002
4 wheels, 2 x pneumatic and foam-filled driving
wheels and 2 x synthetic wheels forward

item no.: 07.110.0002 01

without photo: as item no.: 07.110.0002
3 wheels, 2 x pneumatic driving wheels
and 1 x pneumatic wheel forward (same size)

item no.: 07.110.0002 02



asphalt wheelbarrow
huge version, round, none insulated, capacity appr.
100 litres, side outlet, 4 pneumatic tires, pushing
handle swing over type, central crane hook

item no.: 07.110.0008 01

as extra available: driving wheels foamfilled



asphalt wheelbarrow
huge version, round, insulated, capacity appr. 100
litres, side outlet, 4 pneumatic tires,
pushing handle swing over type, central crane
hook

item no.: 07.110.0008 03

as extra available: driving wheels foamfilled

AGT GmbH, Altenwerder Gussasphalt Technology

Hittfelder Kirchweg 21, 21220 Seevetal, Tel: +49 – (0) 4105 – 69289 – 0 / Fax: +49 – (0)4105 – 69289 – 28
e-mail: info@agt-gmbh.com / homepage: www.agt-gmbh.com

AGT equipment program

for mastic asphalt and joint compound



bituminous band FB
25 x 8 mm, non self-adhesive
other dimensions available

item no.: 07.117.0001



bituminous band KSK
35 x 8 mm, self-adhesive
other dimensions available

item no.: 07.117.0019



foam strips to prefabricate joints
20 mm width
30 mm height
other dimensions available

item no.: 07.128.0001



aluminium ramps
for dumpers (1 set)
each 2 tons capacity
other capacities available

item no.: 07.112.0001



laser-thermometer
Infrared, non surface
contact thermometer

item no: 07.114.0001

AGT GmbH, Altenwerder Gussasphalt Technology

Hittfelder Kirchweg 21, 21220 Seevetal, Tel: +49 – (0) 4105 – 69289 – 0 / Fax: +49 – (0)4105 – 69289 – 28
e-mail: info@agt-gmbh.com / homepage: www.agt-gmbh.com